

1       **Appendix I.** List of articles that deal directly with the effects of landscape changes on pollinators and  
2       pollination services selected for analysis (July 2011) (n=219)

3       Aguilar R, Ashworth L, Galetto L, Aizen MA (2006) Plant reproductive susceptibility to habitat  
4       fragmentation: review and synthesis through a meta-analysis. Ecology Letters 9:968-980.

5       Aguirre A, Dirzo R (2008) Effects of fragmentation on pollinator abundance and fruit set of an abundant  
6       understory palm in a Mexican tropical forest. Biological Conservation 141:375-384.

7       Ahrné K, Bengtsson J, Elmquist T (2009) Bumble Bees (*Bombus* spp) along a gradient of increasing  
8       urbanization. PLOS ONE 4:e5574.

9       Aizen MA, Feinsinger P (1994a) Forest fragmentation pollination and plant reproduction in a Chaco Dry  
10      Forest Argentina. Ecology 75:330-351.

11      Aizen MA, Feinsinger P (1994b) Habitat fragmentation native insect pollinators and feral honey bees in  
12      Argentine Chaco Serrano. Ecological Applications 4:378-392.

13      Aizen MA, Ashworth L, Galetto L (2002) Reproductive success in fragmented habitats: do compatibility  
14      systems and pollination specialization matter? Journal of Vegetation Science 13:885-892.

15      Aizen MA, Garibaldi LA, Cunningham SA, Klein AM (2008) Long-term global trends in crop yield and  
16      production reveal no current pollination shortage but increasing pollinator dependency. Current Biology  
17      18:1572-1575.

18      Aizen MA, Garibaldi LA, Cunningham SA, Klein AM (2009) How much does agriculture depend on  
19      pollinators? Lessons from long-term trends in crop production Annals of Botany 103:2005-2010

20      Albrecht M, Duelli P, Müller C, Kleijn D, Schmid B (2007) The Swiss agri-environment scheme enhances  
21      pollinator diversity and plant reproductive success in nearby intensively managed farmland. Journal of  
22      Applied Ecology 44:813-822.

23      Andersson E, Barthel S, Ahrné K (2007) Measuring social–ecological dynamics behind the generation of  
24      ecosystem services. Ecological Applications 17:1267-1278.

25      Artz DR, Waddington KD (2006) The effects of neighbouring tree islands on pollinator density and diversity  
26      and on pollination of a wet prairie species *Asclepias lanceolata* (Apocynaceae). Journal of Ecology  
27      94:597–608.

- 28 Aschero V, Vazquez DP (2009) Habitat protection cattle grazing and density-dependent reproduction in a  
29 desert tree. *Austral Ecology* 34:901-907.
- 30 Ashworth L, Aguilar R, Galetto L, Aizen MA (2004) Why do pollination generalist and specialist plant  
31 species show similar reproductive susceptibility to habitat fragmentation? *Journal of Ecology* 92:717-  
32 719.
- 33 Barlow J, Gardner TA, Araujo IS, Vila-Pires TCA, Bonaldo AB, Costa JE, Esposito MC, Ferreira LV, Hawes  
34 J, Hernandez MIM, Hoogmoed MS, Leite RN, Lo-Man-Hung NF, Malcolm JR, Martins MB, Mestre  
35 LAM, Miranda-Santos R, Nunes-Gutjahr AL, Overal WL, Parry L, Peters SL, Ribeiro-Junior MA, Silva  
36 MNF, Silva Motta C, Peres CA (2007) Quantifying the biodiversity value of tropical primary secondary  
37 and plantation forests. *Proceedings of the National Academy of Sciences of the United States of*  
38 *America* 104:18555-18560.
- 39 Bartomeus I, Vila M, Steffan-Dewenter I (2010) Combined effects of *Impatiens glandulifera* invasion and  
40 landscape structure on native plant pollination. *Journal of Ecology* 98:440-450.
- 41 Belfrage K, Bjorklund J, Salomonsson L (2005) The effects of farm size and organic farming on diversity of  
42 birds pollinators and plants in a Swedish landscape. *Ambio* 34:582-588.
- 43 Bernard E, Fenton MB (2007) Bats in a fragmented landscape: species composition diversity and habitat  
44 interactions in savannas of Santarém Central Amazonia Brazil. *Biological Conservation* 134:332-343.
- 45 Bhagwat SA, Willis KJ, Birks HJB, Whittaker RJ (2008) Agroforestry: a refuge for tropical biodiversity?  
46 *Trends in Ecology Evolution* 23:261-267.
- 47 Biesmeijer JC, Roberts SPM, Reemer M, Ohlemuller R, Edwards M, Peeters T, Schaffers AP, Potts SG,  
48 Kleukers R, Thomas CD, Settele J, Kunin WE (2006) Plants in Britain and the Netherlands parallel  
49 declines in pollinators and insect-pollinated. *Science* 313:351-354.
- 50 Bittencourt JVM, Sebbenn AM (2007) Patterns of pollen and seed dispersal in a small fragmented population  
51 of the wind-pollinated tree *Araucaria angustifolia* in southern Brazil. *Heredity* 99:580-591.
- 52 Bjerknes A, Totland O, Hegland SJ, Nielsen A (2007) Do alien plant invasions really affect pollination  
53 success in native plant species? *Biological Conservation* 138:1-12.

- 54 Borges LA, Sobrinho MS, Lopes AV (2009) Phenology pollination and breeding system of the threatened tree  
55       *Caesalpinia echinata* Lam (Fabaceae) and a review of studies on the reproductive biology in the genus.  
56       Flora 204:111-130.
- 57 Brittain C, Bommarco R, Vighi M, Settele J, Potts SG (2010) Organic farming in isolated landscapes does not  
58       benefit flower-visiting insects and pollination. Biological Conservation 143:1860-1867.
- 59 Brosi BJ (2009) The effects of forest fragmentation on euglossine bee communities (Hymenoptera: Apidae:  
60       Euglossini) Biological Conservation 142:414-423.
- 61 Brosi BJ, Daily GC, Ehrlich PR (2007) Bee community shifts with landscape context in a tropical countryside.  
62       Ecological Applications 17:418-430.
- 63 Brosi BJ, Daily GC, Chamberlain CP, Mills M (2009) Detecting changes in habitat-scale bee foraging in a  
64       tropical fragmented landscape using stable isotopes. Forest Ecology and Management 258:1846-1855.
- 65 Brosi BJ, Daily GC, Shih TM, Oviedo F, Durán G (2008) The effects of forest fragmentation on bee  
66       communities in tropical countryside. Journal of Applied Ecology 45:773-783.
- 67 Brown MJF, Paxton RJ (2009) The conservation of bees: a global perspective. Apidologie 40:410-416.
- 68 Brys R, Jacquemyn H, Endels P, Rossum FV, Hermy M, Triest L, Bruyn L, Blust GDE (2004) Reduced  
69       reproductive success in small populations of the self-incompatible *Primula vulgaris*. Journal of Ecology  
70       92:5-14.
- 71 Burgess VJ, Kelly D, Robertson AW, Ladley JJ (2006) Positive effects of forest edges on plant reproduction:  
72       literature review and a case study of bee visitation to flowers of *Peraxilla tetrapetala* (Loranthaceae)  
73       New Zealand. Journal of Ecology 30:179-190.
- 74 Buschbom J, Yanbaev Y, Degen B (2011) Efficient long-distance gene flow into an isolated relict oak stand.  
75       The Journal of heredity 102:464-472.
- 76 Bustamante RO, Castor C (1998) The decline of an endangered temperate ecosystem: the rui ( *Nothofagus*  
77       ) forest in central Chile. Biodiversity and Conservation 7:1607-1626.
- 78 Cane JH, Tepedino VJ (2001) Causes and extent of declines among native North American invertebrate  
79       pollinators: detection evidence and consequences. Conservation Ecology 5(1):1.

- 80 Cane JH, Minckley RL, Kervin LJ, Roulston TH, Williams NM (2006) Complex Responses within a desert  
81 bee guild (Hymenoptera: Apiformes) to urban habitat fragmentation. Ecological Applications 16:632-  
82 644.
- 83 Carre G, Roche P, Chifflet R, Morison N, Bommarco R, Harrison-Cripps J, Krewenka K, Potts SG, Roberts  
84 SPM, Rodet G, Settele J, Steffan-Dewenter I, Szentgyorgyi H, Tscheulin T, Westphal C, Woyciechowski  
85 M, Vaissiere BE (2009) Landscape context and habitat type as drivers of bee diversity in European  
86 annual crops. Agriculture Ecosystems and Environment 133:40-47.
- 87 Carvalheiro LG, Seymour CL, Veldtman R, Nicolson SW (2010) Pollination services decline with distance  
88 from natural habitat even in biodiversity-rich areas. Journal of Applied Ecology 47:810-820.
- 89 Carvalheiro LG, Veldtman R, Shenkute AG, Tesfay GB, Pirk CWW, Donaldson JS, Nicolson SW (2011)  
90 Natural and within-farmland biodiversity enhances crop productivity. Ecology letters 14:251-259.
- 91 Carvell C, Roy DB, Smart SM, Pywell RF, Preston CD, Goulson D (2006) Declines in forage availability for  
92 bumblebees at a national scale. Biological Conservation 132:481-489.
- 93 Carvell C, Meek WR, Pywell RF, Goulson D, Nowakowski M (2007) Comparing the efficacy of agri-  
94 environment schemes to enhance bumble bee abundance and diversity on arable field margins. Journal  
95 of Applied Ecology 44:29- 40.
- 96 Chacoff NP, Aizen MA (2006) Edge effects on flower-visiting insects in grapefruit plantations bordering  
97 premontane subtropical forest. Journal of Applied Ecology 43:18-27.
- 98 Chapman RE, Wang J, Bourke AFG (2003) Genetic analysis of spatial foraging patterns and resource sharing  
99 in bumble bee pollinators. Molecular Ecology 12:2801- 2808.
- 100 Cheesman OD (1998) The impact of some field boundary management practices on the development of  
101 *Dipsacus fullonum* L flowering stems and implications for conservation. Agriculture Ecosystems and  
102 Environment 68:41-49.
- 103 Chifflet R, Klein, EK, Lavigne C, Violette LF, Ricroch AE, Lecomte J, Vaissiere BE (2011) Spatial scale of  
104 insect-mediated pollen dispersal in oilseed rape in an open agricultural landscape. Journal of Applied  
105 Ecology 48:689-696.

- 106 Corlett RT (2001) Pollination in a degraded tropical landscape: a Hong Kong case study. *Journal of Tropical*  
107 *Ecology* 17:155-161.
- 108 Cortés-Delgado N, Pérez-Torres J (2011) Habitat edge context and the distribution of phyllostomid bats in the  
109 Andean forest and anthropogenic matrix in the Central Andes of Colombia. *Biodiversity and*  
110 *Conservation* 20:987-999.
- 111 Cruz-Neto O, Machado IC, Duarte JA, Lopes AV (2011) Synchronous phenology of hawkmoths (Sphingidae)  
112 and Inga species (Fabaceae–Mimosoideae): implications for the restoration of the Atlantic forest of  
113 northeastern Brazil. *Biodiversity and Conservation* 20:751-765.
- 114 Cussans J, Goulson D, Sanderson R, Goffe L, Darvill B, Osborne JL (2010) Two bee-pollinated plant species  
115 show higher seed production when grown in gardens compared to arable farmland. *PloS ONE* 5:e11753.
- 116 Darvill B, Knight ME, Goulson D (2004) Use of genetic markers to quantify bumblebee foraging range and  
117 nest density. *Oikos* 107:471-478.
- 118 Darvill B, Ellis JS, Lye GC, Glouson D (2006) Population structure and inbreeding in a rare and declining  
119 bumblebee *Bombus muscorum* (Hymenoptera: Apidae). *Molecular Ecology* 15:601–611.
- 120 Dauber J, Biesmeijer JC, Gabriel D, Kunin WE, Lamborn E, Meyer B, Nielsen A, Potts SG, Roberts SPM,  
121 Sober V, Settele J, Steffan-Dewenter I, Stout JC, Teder T, Tscheulin T, Vivarelli D, Petanidou T (2010)  
122 Effects of patch size and density on flower visitation and seed set of wild plants: a pan-European  
123 approach. *Journal of Ecology* 98:188-196.
- 124 Davis ES, Murray TE, Fitzpatrick U, Brown MJF, Paxton RJ (2010) Landscape effects on extremely  
125 fragmented populations of a rare solitary bee *Colletes floralis*. *Molecular ecology* 19:4922-4935.
- 126 Dawson IK, Vinceti B, Weber JC, Neufeldt H, Russell J, Lengkeek AG, Kalinganire A, Kindt R, Lillesø JPB,  
127 Roshetko J, Jamnadass R (2011) Climate change and tree genetic resource management: maintaining  
128 and enhancing the productivity and value of smallholder tropical agroforestry landscapes. A review.  
129 *Agroforestry Systems* 81:67-78.
- 130 De Marco P, Coelho FM (2004) Services performed by the ecosystem: forest remnants influence agricultural  
131 cultures pollination and production. *Biodiversity and Conservation* 13:1245-1255.

- 132 Dick CW, Etchelecu GA, Austerlitz F (2003) Pollen dispersal of tropical trees (*Dinizia excelsa*: Fabaceae) by  
133 native insects and African honeybees in pristine and fragmented Amazonian rainforest. Molecular  
134 Ecology 12:753 -764.
- 135 Diekotter T, Walther-Hellwig K, Conradi M, Suter M, Frankl R (2006) Effects of landscape elements on the  
136 distribution of the rare bumblebee species *Bombus muscorum* in an agricultural landscape. Biodiversity  
137 and Conservation 15:57-68.
- 138 Donaldson J, Nanni I, Zachariades C, Kemper J (2002) Effects of habitat fragmentation on pollinator diversity  
139 and plant reproductive success in renosterveld shrublands of South Africa. Conservation Biology  
140 16:1267-1276.
- 141 Duan Y, Liu J (2007) Pollinator shift and reproductive performance of the Qinghai–Tibetan Plateau endemic  
142 and endangered *Swertia przewalskii* (Gentianaceae). Biodiversity and Conservation 16:1839-1850.
- 143 Eckert CG, Kalisz S, Geber MA, Sargent R, Elle E, Cheptou P, Goodwillie C, Johnston MO, Kelly JK,  
144 Moeller DA, Porcher E, Ree RH, Vallejo-marin M, Winn AA (2010) Plant mating systems in a  
145 changing world. Trends in Ecology and Evolution 25:35-43.
- 146 Ekroos J, Piha M, Tiainen J (2008) Role of organic and conventional field boundaries on boreal bumblebees  
147 and butterflies. Agriculture Ecosystems and Environment 124:155-159.
- 148 Eltz T (2004) Spatio-temporal variation of apine bee attraction to honeybaits in Bornean forests. Journal of  
149 Tropical Ecology 20:317-324.
- 150 Franzén M, Nilsson SG (2010) Both population size and patch quality affect local extinctions and  
151 colonizations. Proceedings of the Royal Society B 277:79-85.
- 152 Freitas BM, Imperatriz-Fonseca VL, Medina LM, Kleinert AMP, Galetto L, Nates-Parra GJ, Javier G,  
153 Quezada-Euán JJG (2009) Diversity threats and conservation of native bees in the Neotropics.  
154 Apidologie 40:332–346.
- 155 Fuchs EJ, Lobo JA, Quesada M (2003) Effects of forest fragmentation and flowering phenology on the  
156 reproductive success and mating patterns of the tropical dry forest tree *Pachira quinata*. Conservation  
157 Biology 17:149-157.

- 158 Fujimori N, Samejima H, Kenta T, Ichie T, Shibata M, Iida S, Nakashizuka T (2006) Reproductive success  
159 and distance to conspecific adults in the sparsely distributed tree *Kalopanax pictus*. Journal of Plant  
160 Research 119:195-203.
- 161 Gabriel D, Tscharntke T (2007) Insect pollinated plants benefit from organic farming. Agriculture Ecosystems  
162 and Environment 118:43-48.
- 163 Gabriel D, Sait SM, Hodgson JA, Schmutz U, Kunin WE, Benton TG (2010) Scale matters: the impact of  
164 organic farming on biodiversity at different spatial scales. Ecology letters 13:858-869.
- 165 García C, Jordano P, Godoy JA (2007) Contemporary pollen and seed dispersal in a *Prunus mahaleb*  
166 population: patterns in distance and direction. Molecular Ecology 16:1947–1955.
- 167 Gathmann A, Tscharntke T (2002) Foraging ranges of solitary bees. Journal of Animal Ecology 71:757-764.
- 168 Gemmill-Herren B, Ochieng AO (2008) Role of native bees and natural habitats in eggplant (*Solanum*  
169 *melongena*) pollination in Kenya. Agriculture Ecosystems and Environment 127:31–36.
- 170 Ghazoul J, McLeish M (2001) Reproductive ecology of tropical forest trees in logged and fragmented habitats  
171 in Thailand and Costa Rica. Plant Ecology 153:335-345.
- 172 Ghazoul J (2002) Impact of logging on the richness and diversity of forest butterflies in a tropical dry forest in  
173 Thailand. Biodiversity and Conservation 11:521-541.
- 174 Ghazoul J, Shaanker RU (2004a) Sex in space: a synthesis. Biotropica 36:180-183.
- 175 Ghazoul J, Shaanker RU (2004b) Sex in space: pollination among spatially isolated plants. Biotropica 36:128-  
176 130.
- 177 Ghazoul J (2005) Buzziness as usual? Questioning the global pollination crisis. Trends in Ecology and  
178 Evolution 20:367-373.
- 179 Girão LC, Lopes AV, Tabarelli M, Bruna EM (2007) Changes in tree reproductive traits reduce functional  
180 diversity in a fragmented Atlantic Forest Landscape. PLOS ONE 2:e908.
- 181 González-Varo JP, Albaladejo RG, Aparicio A, Arroyo J (2010) Linking genetic diversity mating patterns and  
182 progeny performance in fragmented populations of a Mediterranean shrub. Journal of Applied Ecology  
183 47:1242-1252.

- 184 González-Varo JP, Arroyo J, Aparicio A (2009) Effects of fragmentation on pollinator assemblage pollen  
185 limitation and seed production of Mediterranean myrtle (*Myrtus communis*). Biological Conservation  
186 142:1058-1065.
- 187 Goulson D, Lye GC, Darvill B (2008) Decline and conservation of bumble bees. Annual Review of  
188 Entomology 53:191-208.
- 189 Goulson D, Lepais O, O'Connor S, Osborne JL, Sanderson RA, Cussans J, Goffe L, Darvill B (2010) Effects  
190 of land use at a landscape scale on bumblebee nest density and survival. Journal of Applied Ecology  
191 47:1207–1215.
- 192 Goverde M, Schweizer K, Baur B, Erhardt A (2002) Small-scale habitat fragmentation effects on pollinator  
193 behaviour: experimental evidence from the bumblebee *Bombus veteranus* on calcareous grasslands.  
194 Biological Conservation 104:293-299.
- 195 Greenleaf SS, Kremen C (2006) Wild bees enhance honey bees' pollination of hybrid sunflower. Proceedings  
196 of the National Academy of Sciences of the United States of America - PNAS 103:13890-13895
- 197 Greenleaf SS, Williams NM, Winfree R, Kremen C (2007) Bee foraging ranges and their relationship to body  
198 size. Oecologia 153:589-596.
- 199 Hadley AS, Betts MG (2009) Tropical deforestation alters hummingbird movement patterns. Biology Letters  
200 5:207-210.
- 201 Hagen M, Kraemer M (2010) Agricultural surroundings support flower-visitor networks in an Afrotropical  
202 rain forest. Biological Conservation 143:1654–1663.
- 203 Hagen M, Wikelski M, Kissling WD (2011) Space use of bumblebees (*Bombus* spp) revealed by radio-  
204 tracking. PloS One 6:e19997.
- 205 Hannon LE, Sisk TD (2009) Hedgerows in an agri-natural landscape: Potential habitat value for native bees.  
206 Biological Conservation 142:2140-2154.
- 207 Hatfield RG, LeBuhn G (2007) Patch and landscape factors shape community assemblage of bumble bees  
208 *Bombus* spp (Hymenoptera: Apidae) in montane meadows. Biological Conservation 139:150-158.

- 209 Heard MS, Carvell C, Carreck NL, Rothery P, Osborne JL, Bourke AFG (2007) Landscape context not patch  
210 size determines bumble-bee density on flower mixtures sown for agri-environment schemes. *Biology*  
211 Letters 3:638-641.
- 212 Hegland SJ, Boeke LX (2006) Relationships between the density and diversity of floral resources and flower  
213 visitor activity in a temperate grassland community. *Ecological Entomology* 31:532-538.
- 214 Hendrix SD, Kwaiser KS, Heard SB (2010) Bee communities (Hymenoptera: Apoidea) of small Iowa hill  
215 prairies are as diverse and rich as those of large prairie preserves. *Biodiversity and Conservation*  
216 19:1699-1709.
- 217 Herrmann F, Westphal C, Moritz RFA, Steffan-Dewenter I (2007) Genetic diversity and mass resources  
218 promote colony size and forager densities of a social bee (*Bombus pascuorum*) in agricultural  
219 landscapes. *Molecular Ecology* 16:1167-1178.
- 220 Heuberger S, Ellers-Kirk C, Tabashnik BE, Carrière Y (2010) Pollen- and seed-mediated transgene flow in  
221 commercial cotton seed production fields. *PloS One* 5:e14128.
- 222 Hirsch M, Pfaff S, Wolters V (2003) The influence of matrix type on flower visitors of *Centaurea jacea* L.  
223 *Agriculture Ecosystems and Environment* 98:331-337.
- 224 Hoehn P, Steffan-dewenter I, Tscharntke T (2010) and openland to local and regional bee diversity  
225 *Biodiversity Conservation* 19: 2189-2200.
- 226 Holzschuh A, Steffan-Dewenter I, Tscharntke T (2008) Agricultural landscapes with organic crops support  
227 higher pollinator diversity. *Oikos* 117:354-361.
- 228 Holzschuh A, Steffan-Dewenter I, Tscharntke T (2010) How do landscape composition and configuration  
229 organic farming and fallow strips affect the diversity of bees wasps and their parasitoids? *Journal of*  
230 *Animal Ecology* 79:491–500.
- 231 Honnay O, Jacquemyn H, Bossuyt B, Hermy M (2005) Forest fragmentation effects on patch occupancy and  
232 population viability of herbaceous plant species. *New Phytologist* 166:723-736.
- 233 Hopwood JL (2008) The contribution of roadside grassland restorations to native bee conservation. *Biological*  
234 *Conservation* 141:2632-2640.

- 235 Hoyle M, Hayter K, Cresswell JE (2007) Effect of pollinator abundance on self-fertilization and gene flow:  
236 application to GM canola. *Ecological Applications* 17:2123-2135.
- 237 Isaacs R, Kirk AK (2010) Pollination services provided to small and large highbush blueberry fields by wild  
238 and managed bees. *Journal of Applied Ecology* 47:841-849.
- 239 Jauker F, Diekotter T, Schwarzbach F, Wolters V (2009) Pollinator dispersal in an agricultural matrix:  
240 opposing responses of wild bees and hoverflies to landscape structure and distance from main habitat.  
241 *Landscape Ecology* 24:547-555.
- 242 Jha S, Vandermeer JH (2009) Contrasting foraging patterns for Africanized honeybees native bees and native  
243 wasps in a tropical agroforestry landscape. *Journal of Tropical Ecology* 25:13-22.
- 244 Jha S, Vandermeer JH (2010) Impacts of coffee agroforestry management on tropical bee communities.  
245 *Biological Conservation* 143:1423-1431.
- 246 Jules ES, Shahani P (2003) A broader ecological context to habitat fragmentation: why matrix habitat is more  
247 important than we thought. *Journal of Vegetation Science* 14:459-464.
- 248 Julier HE, Roulston TH (2009) Wild bee abundance and pollination service in cultivated pumpkins: farm  
249 management nesting behavior and landscape effects. *Journal of Economic Entomology* 102:563-573.
- 250 Kaartinen R, Roslin T (2011) Shrinking by numbers: landscape context affects the species composition but not  
251 the quantitative structure of local food webs. *Journal of animal ecology* 80:622-631.
- 252 Kamm U, Gugerli F, Rotach P, Edwards P, Holderegger R (2010) Open areas in a landscape enhance pollen-  
253 mediated gene flow of a tree species: evidence from northern Switzerland. *Landscape Ecology* 25:903-  
254 911.
- 255 Kearns CA, Inouye DW, Waser NM (1998) Endangered mutualisms: the conservation of plant-pollinator  
256 interactions. *Annual Review of Ecology and Systematics* 29:83-112.
- 257 Keitt TH (2009) Habitat conversion extinction thresholds and pollination services in agroecosystems.  
258 *Ecological Applications* 19:1561-1573.
- 259 Kettle CJ, Hollingsworth PM, Burslem DFRP, Maycock CR, Khoo E, Ghazoul J (2011) Determinants of fine-  
260 scale spatial genetic structure in three co-occurring rain forest canopy trees in Borneo. *Perspectives in  
261 Plant Ecology Evolution and Systematics* 13:47-56.

- 262 Klein AM (2009) Nearby rainforest promotes coffee pollination by increasing spatio-temporal stability in bee  
263 species richness. *Forest Ecology and Management* 258:1838-1845.
- 264 Klein AM, Cunningham S, Bos M, Steffan-Dewenter I (2008) advances in pollination ecology from tropical  
265 plantation crops. *Ecology* 89:935-943.
- 266 Klein AM, Steffan-Dewenter I, Tscharntke T (2003) Fruit set of highland coffee increases with the diversity of  
267 pollinating bees. *Proceedings of the Royal Society B-Biological Sciences* 270:955-961.
- 268 Klein AM, Steffan-dewenter I, Tscharntke T (2006) Rain forest promotes trophic interactions and diversity of  
269 trap-nesting Hymenoptera in adjacent agroforestry. *Journal of Animal Ecology* 75:315–323.
- 270 Klein AM, Steffan-Dewenter I, Buchori D, Tscharntke T (2002) Effects of land-use intensity in tropical  
271 agroforestry systems on coffee flower-visiting and trap-nesting bees and wasps. *Conservation Biology*  
272 16:1003-1014.
- 273 Klein AM, Vaissiere BE, Cane JH, Steffan-Dewenter I, Cunningham SA, Kremen C, Tscharntke T (2007)  
274 Importance of pollinators in changing landscapes for world crops. *Proceedings of the Royal Society B-*  
275 *Biological Sciences* 274:303-313.
- 276 Knight ME, Osborne JL, Sanderson RA, Hale RJ, Martin AP, Goulson D (2009) Bumblebee nest density and  
277 the scale of available forage Insect. *Conservation and Diversity* 2:116-124.
- 278 Kolb A (2005) Reduced reproductive success and offspring survival in fragmented populations of the forest  
279 herb *Phyteuma spicatum*. *Journal of Ecology* 93:1226-1237.
- 280 Kolb A (2008) Habitat fragmentation reduces plant fitness by disturbing pollination and modifying response to  
281 herbivory. *Biological Conservation* 141:2540-2549.
- 282 Kovács-Hostyánszki A, Batáry P, Báldi A (2011) Local and landscape effects on bee communities of  
283 Hungarian winter cereal fields. *Agricultural and Forest Entomology* 13:59-66.
- 284 Krauss J, Alfert T, Steffan-dewenter I (2009) Habitat area but not habitat age determines wild bee richness in  
285 limestone quarries. *Journal of Applied Ecology* 46:194-202.
- 286 Krauss J, Gallenberger I, Steffan-Dewenter I (2011) Decreased functional diversity and biological pest control  
287 in conventional compared to organic crop fields. *PloS One* 6:e19502.

- 288 Kremen C (2005) Managing ecosystem services: what do we need to know about their ecology? *Ecology*  
289 Letters 8:468-479.
- 290 Kremen C, Williams NM, Bugg RL, Fay JP, Thorp RW (2004) The area requirements of an ecosystem  
291 service: crop pollination by native bee communities in California. *Ecology Letters* 7:1109-1119.
- 292 Kreyer D, Oed A, Walther-Hellwig K, Frankl R (2004) Are forests potential landscape barriers for foraging  
293 bumblebees? Landscape scale experiments with *Bombus terrestris* agg and *Bombus pascuorum*  
294 (Hymenoptera Apidae). *Biological Conservation* 116:111-118.
- 295 Lander TA, Boshier DH, Harris SA (2010) Fragmented but not isolated: Contribution of single trees small  
296 patches and long-distance pollen flow to genetic connectivity for *Gomortega keule* an endangered  
297 Chilean tree. *Biological Conservation* 143:2583-2590.
- 298 Larsson M, Franzén M (2007) Critical resource levels of pollen for the declining bee *Andrena hattorfiana*  
299 (Hymenoptera Andrenidae). *Biological Conservation* 134:405-414.
- 300 Laurance WF, Lovejoy TE, Vasconcelos HL, Bruna EM, Didham RK, Stouffer PC, Gascon C, Bierregaard  
301 RO, Laurance SG, Sampaio E (2002) Ecosystem decay of Amazonian forest fragments: a 22-year  
302 investigation. *Conservation Biology* 16:605-618.
- 303 Lautenbach S, Kugel C, Lausch A, Seppelt R (2011) Analysis of historic changes in regional ecosystem  
304 service provisioning using land use data. *Ecological Indicators* 11:676-687.
- 305 Law BS, Lean M (1999) Common blossom bats (*Syconycteris australis*) as pollinators in fragmented  
306 Australian tropical rainforest. *Biological Conservation* 91:201-212.
- 307 Le Bail M, Lecroart B, Gauffreteau A, Angevin F, Messean A (2010) Effect of the structural variables of  
308 landscapes on the risks of spatial dissemination between GM and non-GM maize. *European Journal of*  
309 *Agronomy* 33:12-23.
- 310 Lennartson T (2002) Extinction thresholds and disrupted plant – pollinator interactions in fragmented plant  
311 populations. *Ecology* 83:3060-3072.
- 312 Lomov B, Keith DA, Hochuli DF (2010) Pollination and plant reproductive success in restored urban  
313 landscapes dominated by a pervasive exotic pollinator. *Landscape and Urban Planning* 96:232-239.

- 314 Lonsdorf E, Kremen C, Ricketts T, Winfree R, Williams N, Greenleaf S (2009) Modelling pollination services  
315 across agricultural landscapes. *Annals of Botany* 103:1589-1600.
- 316 Lopes AV, Girão LC, Santos BA, Peres CA, Tabarelli M (2009) Long-term erosion of tree reproductive trait  
317 diversity in edge-dominated Atlantic forest fragments. *Biological Conservation* 142:1154-1165.
- 318 Lopes LE, Buzato S (2007) Variation in pollinator assemblages in a fragmented landscape and its effects on  
319 reproductive stages of a self-incompatible treelet *Psychotria suterella* (Rubiaceae). *Oecologia* 154:305-  
320 314.
- 321 Macfadyen S, Gibson RH, Symondson WOC, Memmott J (2011) Landscape structure influences modularity  
322 patterns in farm food webs: consequences for pest control. *Ecological applications* 21:516-24.
- 323 Marshall EJP, Moonen AC (2002) Field margins in northern Europe: their functions and interactions with  
324 agriculture. *Agriculture Ecosystems and Environment* 89: 5-21.
- 325 Matsumura C, Washitani I (2000) Effects of population size and pollinator limitation on seed-set of *Primula*  
326 *sieboldii* populations in a fragmented landscape. *Ecological Research* 15:307-322.
- 327 Mawdsley JR, Sithole H (2010) Diversity and abundance of insect visitors to flowers of trees and shrubs in a  
328 South African savannah. *African Journal of Ecology* 48: 691-698.
- 329 Memmott J, Craze PG, Waser NM, Price MV (2007) Global warming and the disruption of plant – pollinator  
330 interactions *Ecology Letters* 10: 710-717.
- 331 Menz MHM, Phillips RD, Winfree R, Kremen C, Aizen MA, Johnson SD, Dixon KW (2011) Reconnecting  
332 plants and pollinators: challenges in the restoration of pollination mutualisms. *Trends in plant science*  
333 16:4-12.
- 334 Metzger JP (2000) Tree functional group richness and spatial structure in a tropical fragmented landscape (SE  
335 Brazil). *Ecological Applications* 10:1147-1161.
- 336 Meyer B, Jauker F, Steffan-Dewenter I (2009) Contrasting resource-dependent responses of hoverfly richness  
337 and density to landscape structure. *Basic and Applied Ecology* 10:178-186.
- 338 Milet-pinheiro P, Schlindwein C (2005) Do euglossine males (Apidae Euglossini) leave tropical rainforest to  
339 collect fragrances in sugar cane monocultures? *Revista Brasileira de Zoologia* 22:853-858.

- 340 Molina-Montenegro MA, Badano EI, Cavieres LA (2008) Positive interactions among plant species for  
341 pollinator service: assessing the magnet species concept with invasive species. *Oikos* 117:1833-1839.
- 342 Morandin LA, Winston ML, Abbott VA, Franklin MT (2007) Can pastureland increase wild bee abundance in  
343 agriculturally intense areas? *Basic and Applied Ecology* 8: 117-124.
- 344 Morato EF, Campos LAO (2000) Efeitos da fragmentação florestal sobre vespas e abelhas solitárias em uma  
345 área da Amazônia Central. *Revista Brasileira de Zoologia* 17: 429-444.
- 346 Moura DC, Schlindwein C (2009) Mata ciliar do Rio São Francisco como biocorredor para Euglossini  
347 (Hymenoptera: Apidae) de Florestas Tropicais Úmidas. *Neotropical Entomology* 38:281-284.
- 348 Murcia C (1995) Edge effects in fragmented forests: implications for conservation. *Trends in Ecology and*  
349 *Evolution* 10:58-62.
- 350 Murren CJ (2002) Effects of habitat fragmentation on pollination: pollinators pollinia viability and  
351 reproductive success. *Journal of Ecology* 90:100-107.
- 352 Nason JD, Hamrick JL (1997) Reproductive and genetic consequences of forest fragmentation: two case  
353 studies of neotropical canopy trees. *Journal of Heredity* 88:264-276.
- 354 Nates-parra G, Palacios E, Parra-HA (2008) Efecto del cambio del paisaje en la estructura de la comunidad de  
355 abejas sin aguijón (Hymenoptera: Apidae) en Meta Colombia. *Revista de Biología Tropical* 56:1295-  
356 1308.
- 357 Nichols JD, Williams BK (2006) Monitoring for conservation. *Trends in Ecology and Evolution* 21:668-673.
- 358 Öckinger E, Smith HG (2007) Semi-natural grasslands as population sources for pollinating insects in  
359 agricultural landscapes. *Journal of Applied Ecology* 44:50-59.
- 360 Osborne JL, Clark SJ, Morris RJ, Williams IH, Riley JR, Smith AD, Reynolds DR, Edwards AS (1999) A  
361 landscape-scale study of bumble bee foraging range and constancy using harmonic radar. *Journal of*  
362 *Applied Ecology* 36:519-533.
- 363 Osborne JL, Martin AP, Shortall CR, Todd AD, Goulson D, Knight ME, Hale RJ, Sanderson RA (2008)  
364 Quantifying and comparing bumblebee nest densities in gardens and countryside habitats. *Journal of*  
365 *Applied Ecology* 45:784-792.

- 366 Ottewell KM, Donnellan SC, Lowe AJ, Paton DC (2009) Predicting reproductive success of insect- versus  
367 bird-pollinated scattered trees in agricultural landscapes. *Biological Conservation* 142:888-898.
- 368 Parsche S, Fründ J, Tscharntke T (2011) Experimental environmental change and mutualistic vs antagonistic  
369 plant flower–visitor interactions. *Perspectives in Plant Ecology Evolution and Systematics* 13:27-35.
- 370 Phillips RD, Hopper SD, Dixon KW (2010) Pollination ecology and the possible impacts of environmental  
371 change in the Southwest Australian Biodiversity Hotspot. *Proceedings of the Royal Society B* 365:517-  
372 528.
- 373 Potts SG, Petanidou T, Stuart R, O'Toole C, Hulbertd A, Willmer P (2006) Plant-pollinator biodiversity and  
374 pollination services in a complex Mediterranean landscape. *Biological Conservation* 129:519-529.
- 375 Powell AH, Powell GVN (1987) Population dynamics of male euglossine bees in Amazonian forest  
376 fragments. *Biotropica* 19:176-179.
- 377 Power EF, Stout JC (2011) Organic dairy farming: impacts on insect-flower interaction networks and  
378 pollination. *Journal of Applied Ecology* 48:561-569.
- 379 Priess JA, Mimler M, Klein AM, Schwarze S, Tscharntke T, Steffan-Dewenter I (2007) Linking deforestation  
380 scenarios to pollination services and economic returns in coffee agroforestry systems. *Ecological  
381 Applications* 17:407-417.
- 382 Quintero C, Morales CL, Aizen MA (2010) Effects of anthropogenic habitat disturbance on local pollinator  
383 diversity and species turnover across a precipitation gradient. *Biodiversity Conservation* 19:257-274.
- 384 Rader R, Edwards W, Westcott DA, Saul A, Howlett BG (2011) flies in a human-modified landscape.  
385 *Diversity and Distributions* 17:519-529.
- 386 Rader R, Howlett BG, Cunningham SA, Westcott DA, Newstrom-Lloyd LE, Walker MK, Teulon DAJ,  
387 Edwards W (2009) Alternative pollinator taxa are equally efficient but not as effective as the honeybee  
388 in a mass flowering crop. *Journal of Applied Ecology* 46:1080-1087.
- 389 Rands SA, Whitney HM (2010) Effects of pollinator density-dependent preferences on field margin visitations  
390 in the midst of agricultural monocultures: a modelling approach. *Ecological Modelling* 221:1310-1316.

- 391 Redpath N, Osgathorpe LM, Park K, Goulson D (2010) Crofting and bumblebee conservation: the impact of  
392 land management practices on bumblebee populations in northwest Scotland. Biological Conservation  
393 143:492-500.
- 394 Ricketts TH (2004) Tropical forest fragments enhance pollinator activity in nearby coffee crops. Conservation  
395 Biology 18:1262-1271.
- 396 Ricketts TH, Daily GC, Ehrlich PR, Michener CD (2004) Economic value of tropical forest to coffee  
397 production. Proceedings of the National Academy of Sciences 101:12579-12582.
- 398 Ricketts TH, Regetz J, Steffan-Dewenter I, Cunningham SA, Kremen C, Bogdanski A, Gemmill-Herren B,  
399 Greenleaf SS, Klein AM, Mayfield MM, Morandin LA, Ochieng A, Viana BF (2008) Landscape effects  
400 on crop pollination services: are there general patterns? Ecology Letters 11:499-515.
- 401 Roulston TH, Goodell K (2011) The role of resources and risks in regulating wild bee populations. Annual  
402 review of entomology 56:293-312.
- 403 Rundlof M, Nilsson H, Smith HG (2008) Interacting effects of farming practice and landscape context on  
404 bumble bees. Biological Conservation 141:417-426.
- 405 Saura S, Estreguil C, Mouton C, Rodríguez-Freire M (2011) Network analysis to assess landscape  
406 connectivity trends: Application to European forests (1990–2000). Ecological Indicators 11:407-416.
- 407 Schmucki R, Blois S (2009) Pollination and reproduction of a self-incompatible forest herb in hedgerow  
408 corridors and forest patches. Oecologia 160:721-733.
- 409 Sjödin NE, Bengtsson J, Ekbom B (2008) The influence of grazing intensity and landscape composition on the  
410 diversity and abundance of flower-visiting insects. Journal of Applied Ecology 45:763-772.
- 411 Slagle MW, Hendrix SD (2009) Reproduction of *Amorpha canescens* (Fabaceae) and diversity of its bee  
412 community in a fragmented landscape. Oecologia 161:813-823
- 413 Steffan-Dewenter I, Schiele S (2008) Do resources or natural enemies drive bee population dynamics in  
414 fragmented habitats? Ecology 89:1375-1387.
- 415 Steffan-Dewenter I, Tscharntke T (1999) Effects of habitat isolation on pollinator communities and seed set.  
416 Oecologia 121:432-440.

- 417 Steffan-Dewenter I, Westphal C (2008) The interplay of pollinator diversity pollination services and landscape  
418 change. *Journal of Applied Ecology* 45:737-741.
- 419 Steffan-dewenter I, Münzenberg U, Tscharntke T (2001) Pollination seed set and seed predation on a  
420 landscape scale. *Proceedings of the Royal Society B* 286:1685-1690.
- 421 Steffan-Dewenter I, Potts SG, Packer L (2005) Pollinator diversity and crop pollination services are at risk.  
422 *Trends in Ecology and Evolution* 20: 651-652.
- 423 Swarts ND, Sinclair EA, Krauss SL, Dixon KW (2009) Genetic diversity in fragmented populations of the  
424 critically endangered spider orchid *Caladenia huegelii*: implications for conservation. *Conservation  
425 Genetics* 10:1199-1208.
- 426 Tabarelli M, Aguiar AV, Peres CA, Girão LC, Lopes AV (2010) Effects of pioneer tree species  
427 hyperabundance on forest fragments in northeastern Brazil. *Conservation Biology* 24:1654-1663.
- 428 Tabarelli M, Lopes AV, Peres CA (2008) Edge-effects drive tropical forest fragments towards an early-  
429 successional system. *Biotropica* 40:657-661.
- 430 Taki H, Kevan PG (2007) Does habitat loss affect the communities of plants and insects equally in plant –  
431 pollinator interactions? Preliminary findings. *Biodiversity and Conservation* 16:3147–3161.
- 432 Taki H, Kevan PG, Ascher JS (2007) Landscape effects of forest loss in a pollination system. *Landscape  
433 Ecology* 22:1575–1587.
- 434 Taki H, Kevan PG, Yamaura Y (2010) Effects of forest cover on fruit set in the woodland herb *Maianthemum  
435 canadense* (Liliaceae). *Canadian Field Naturalist* 122:234-238.
- 436 Tomimatsu H, Ohara M (2002) Effects of forest fragmentation on seed production of the understory herb  
437 *Trillium camschatcense*. *Conservation Biology* 16:1277-1285.
- 438 Tonhasca A, Albuquerque GS, Blackmer JL (2003) Dispersal of euglossine bees between fragments of the  
439 Brazilian Atlantic Forest. *Journal of Applied Ecology* 19:99-102.
- 440 Tonhasca A, Blackmer JL, Albuquerque GS (2002a) Within-habitat heterogeneity of euglossine bee  
441 populations: a re-evaluation of the evidence. *Journal of Tropical Ecology* 18:929-933.
- 442 Tonhasca A, Blackmer JL, Albuquerque GS (2002b) Abundance and diversity of Euglossine bees in the  
443 fragmented landscape of the Brazilian Atlantic Forest. *Biotropica* 34:416-422.

- 444 Townsend PA, Douglas JL (2005) An experimental test of whether habitat corridors affect pollen transfer.  
445 Ecology 86:466-475.
- 446 Tscharntke T, Brandl R (2004) Plant-insect interactions in fragmented landscapes. Annual Review of  
447 Entomology 49:405-430.
- 448 Tscharntke T, Bommarco R, Clough Y, Crist TO, Kleijn D, Rand TA, Tylianakis JM, Nouhuys SV, Vidal S  
449 (2007) Conservation biological control and enemy diversity on a landscape scale. Biological Control  
450 43:294-309.
- 451 Tscharntke T, Klein AM, Kruess A, Steffan-Dewenter I, Thies C (2005) Landscape perspectives on  
452 agricultural intensification and biodiversity – ecosystem service management. Ecology Letters 8:857-  
453 874.
- 454 Tscharntke T, Sekercioglu CH, Dietsch TV, Sodhi NS, Hoehn P, Tylianakis JM (2008) Landscape constraints  
455 on functional diversity of birds and insects in tropical agroecosystems. Ecology 89:944-951.
- 456 Tscharntke T, Steffan-Dewenter I, Kruess A, Thies C (2002) Characteristics of insect populations on habitat  
457 fragments: a mini review. Ecological Research 17:229-239.
- 458 Van Geert A, Van Rossum F, Triest L (2010) Do linear landscape elements in farmland act as biological  
459 corridors for pollen dispersal? Journal of Ecology 98:178-187.
- 460 Vandepitte K, Honnay O, Jacquemyn H, Roldán-Ruiz I (2010) Effects of outcrossing in fragmented  
461 populations of the primarily selfing forest herb *Geum urbanum*. Evolutionary Ecology 24:1353-1364.
- 462 Veddeler D, Klein AM, Tscharntke T (2006) Contrasting responses of bee communities to coffee flowering at  
463 different spatial scales. Oikos 112:594-601.
- 464 Walther-Hellwig K, Frankl R (2000) Foraging habitats and foraging distances of bumblebees *Bombus* spp  
465 (Hymenoptera Apidae) in an agricultural landscape. Journal of Applied Entomology 124:299-306.
- 466 Wang J, Kang M, Gao P, Huang H (2010) Contemporary pollen flow and mating patterns of a subtropical  
467 canopy tree *Eurycorymbus cavaleriei* in a fragmented agricultural landscape. Forest Ecology and  
468 Management 260:2180-2188.
- 469 Ward M, Johnson SD (2005) Pollen limitation and demographic structure in small fragmented populations of  
470 *Brunsvigia radulosa* (Amaryllidaceae). Oikos 108:253-262.

- 471 Westphal C, Steffan-Dewenter I, Tscharntke T (2003) Mass flowering crops enhance pollinator densities at a  
472 landscape scale. *Ecology Letters* 6:961-965.
- 473 Westphal C, Steffan-Dewenter I, Tscharntke T (2006) Bumblebees experience landscapes at diVerent spatial  
474 scales: possible implications for coexistence *Oecologia* 149: 289–300.
- 475 Wheelwright NT, Dukeshire EE, Fontaine JB, Gutow SH, Moeller DA, Schuetz JG, Smith TM, Rodgers SL,  
476 Zink AG (2006) Pollinator limitation autogamy and minimal inbreeding depression in insect-pollinated  
477 plants on a boreal island. *American Midland Naturalist* 155:19-38.
- 478 Wiegmann SM, Waller DM (2006) Fifty years of change in northern upland forest understories: identity and  
479 traits of “winner” and “loser” plant species. *Biological Conservation* 129:109-123.
- 480 Williams NM, Kremen C (2007) Resource distributions among habitats determine solitary bee offspring  
481 production in a mosaic landscape. *Ecological Applications* 17:910-921.
- 482 Williams NM (2011) Restoration of Nontarget Species: Bee Communities and Pollination Function in  
483 Riparian Forests. *Restoration Ecology* 19:450-459.
- 484 Williams NM, Crone EE, Roulston TH, Minckley RL, Packer L, Potts SG (2010) Ecological and life-history  
485 traits predict bee species responses to environmental disturbances. *Biological Conservation* 143:2280-  
486 2291.
- 487 Williams NSG, Morgan JW, McDonnell MJ, McCarthy MA (2005) Plant traits and local extinctions in natural  
488 grasslands along an urban-rural gradient. *Journal of Ecology* 93:1203-1213.
- 489 Winfree R, Griswold T, Kremen C (2007) Effect of human disturbance on bee communities in a forested  
490 ecosystem. *Conservation Biology* 21:213-223.
- 491 Winfree R, Williams NM, Gaines H, Ascher JS, Kremen C (2008) Wild bee pollinators provide the majority  
492 of crop visitation across land-use gradients in New Jersey and Pennsylvania USA. *Journal of Applied  
493 Ecology* 45:793-802.
- 494 Wolf AT, Harrison SP (2001) Effects of habitat size and patch isolation on reproductive success of the  
495 serpentine morning glory. *Conservation Biology* 15:111-121.
- 496 Wolf S, Moritz RFA (2008) Foraging distance in *Bombus terrestris* L Hymenoptera: Apidae). *Apidologie*  
497 39:419-427.

- 498 Yamamoto LF, Sumiko LS, Martins RF (2007) Síndromes de polinização e de dispersão em fragmentos da  
499 Floresta Estacional Semidecídua Montana SP Brasil. *Acta Botanica Brasilica* 21:553-573.
- 500 Zanette LRS, Martins RP, Ribeiro SP (2005) Effects of urbanization on Neotropical wasp and bee  
501 assemblages in a Brazilian metropolis. *Landscape and Urban Planning* 71:105-121.